



www.mspshopfittings.com.au



Contents

Low Voltage Downlights, Kits and Accessories	S1
Compact Fluorescent and Energy Saving Lights	S2
Metal Halide Lighting	S3
Low Voltage Track Systems	S4
Oysters and Decorative Interior Light Fittings	S5
Exterior Lighting	S6
Emergency and Security Products	S7
Lamps, Control Gear and Accessories	S8




LC101

- Fixed die-cast aluminum downlight
- Twistlock face for easy lamp removal
- High quality lampholder
- **Cutout: 70mm round**
- **Dimensions: 80mm round**



LC116

- Fixed die-cast aluminum downlight
- Compact size
- High quality lampholder
- **Cutout: 60mm round**
- **Dimensions: 80mm round**



LC102

- Adjustable die-cast aluminium gimbal
- Face extends to 45°
- Twistlock face for easy lamp removal
- High quality lampholder
- **Cutout: 92mm**
- **Dimensions: 102mm**




LC106

- **TWO PART** die-cast aluminium gimbal
- Removeable fascia for ease of installation
- 360° rotatable with ball bearing fixings
- High quality lampholder
- **Cutout: 90mm round**
- **Dimensions: 100mm round**



DOWNLIGHTS

All downlights on this page are suitable for 1 x MAX 50W, 12V Halogen Dichroic Lamp, unless otherwise stated



LC109- STAINLESS STEEL

- **Stainless steel** centre-tilt rotating downlight
- 360° rotatable
- Pull out face
- High quality lampholder
- **Cutout: 85mm round**
- **Dimensions: 100mm round**



LC108- STAINLESS STEEL

- Square **stainless steel** centre-tilt downlight
- 360° rotatable
- Pull out face
- High quality lampholder
- **Cutout: 85mm round**
- **Dimensions: 100mm x 100mm**



LC001

- Fixed die-cast aluminium downlight
- Recessed lamp with twist-lock removal
- Can be installed with trim, or without trim for rimless look
- Special colours available on request
- **Cutout: 76mm round**
- **Dimensions: 82mm round (without trim); 102mm (with trim)**




LC105- TWO PART

- Square die-cast aluminium gimbal with curved face
- Removeable fascia for ease of installation
- 360° rotatable with ball bearing fixings
- High quality lampholder
- **Cutout: 90mm round**
- **Dimensions: 102mm x 102mm**



DOWNLIGHTS



LC110

- Recessed downlight with domed glass face
- Matt opal glass diffuser
- Suitable for 1 x 50W 12V Halogen Bi-Pin lamp
- Face unscrews for ease of lamp replacement
- **Cutout: 60mm round**
- **Dimensions:** 80mm round, 90mm(h)




LC113

- Die-cast aluminium recessed bathroom light
- Frosted glass lens
- Silicon seal
- **IP RATING: 54**
- **Cutout: 70mm round**
- **Dimensions:** 85mm round, 120mm (h)



LC111

- Fixed pin-spot die-cast aluminum downlight
- Recessed lamp for low glare light
- **TWO PART** downlight: fascia with lampholder assembly is removable by twist lock action
- **Cutout: 75mm round**
- **Dimensions:** 87mm round



LC112

- Adjustable eye-slot die-cast aluminium downlight
- Recessed lamp for low-glare light
- **TWO PART** downlight: fascia with lampholder assembly is removable by twist lock action
- **Cutout: 75mm round**
- **Dimensions:** 87mm round



DOWNLIGHTS

All downlights on this page are suitable for 1 x MAX 50W, 12V Halogen Dichroic Lamp, unless otherwise stated



LC114

- Adjustable die-cast aluminum downlight
- Recessed lamp with black baffle
- High quality lampholder
- **Cutout: 90mm round**
- **Dimensions: 100mm x 100mm**



LC115

- Square die-cast aluminium centre tilt downlight
- Twistlock face and recessed lamp
- High quality lampholder
- **Cutout: 75mm round**
- **Dimensions: 85mm x 85mm**




LC103

- Fixed die-cast aluminum square downlight
- Twistlock face for easy lamp removal
- High quality lampholder
- **Cutout: 70mm round**
- **Dimensions: 80mm x 80mm**



LC104

- Square centre tilt die-cast aluminium downlight
- Twistlock face for easy lamp removal
- High quality lampholder
- **Cutout: 76mm round**
- **Dimensions: 95mm x 95mm**




DOWNLIGHTS




LC117

- Fixed die-cast aluminum downlight
- Twistlock face for easy lamp removal
- Bevelled trim
- High quality lampholder
- **Cutout: 70mm round**
- **Dimensions: 80mm round**




LC118

- Centre-tilt die-cast aluminum downlight
- Twistlock face for easy lamp removal
- Bevelled trim
- High quality lampholder
- **Cutout: 80mm round**
- **Dimensions: 92mm round**



LC106

- **TWO PART** die-cast aluminium gimbal
- Removeable fascia for ease of installation
- 360° rotatable with ball bearing fixings
- Bevelled trim
- High quality lampholder
- **Cutout: 90mm round**
- **Dimensions: 100mm round**



LC107

- Compact die-cast aluminium centre-tilt downlight
- Twistlock face for easy lamp removal
- High quality lampholder
- **Cutout: 70mm round**
- **Dimensions: 82mm round**



DOWNLIGHTS

All downlights on this page are suitable for 1 x MAX 50W, 12V Halogen Dichroic Lamp, unless otherwise stated



LC119

- Fixed die-cast aluminum downlight
- Miniature size, for **35W MR11 lamp**
- High quality lampholder
- **Cutout: 45mm round**
- **Dimensions: 55mm round**




LC122

- Fixed miniature recessed undershelf downlight
- Frosted glass diffuser
- Ventilated rim
- Suits **12V/20W Halogen Bi-Pin (G4)**
- **Cutout: 60mm round**
- **Dimensions: 72mm round, 20mm height**



LC123

- Fixed surface mounted undershelf downlight
- Frosted glass diffuser
- Ventilated rim
- Suits **12V/10W Halogen Bi-Pin (G4)**
- **Dimensions: 70mm diameter, 25mm height**



LC411 and LC412

- Downlight (LC411) and Gimbal (LC412) adaptor plates to suit LC101 and LC102
- Spring clips
- **Overall diameter: 170mm**



DOWNLIGHTS



LC801W- WHITE

- **WHITE fixed** die-cast aluminum downlight kit
- Kit includes the following:
 - **LC101 downlight**
 - 50W glass covered lamp
 - 60VA electronic transformer
- **Packaged for retail sale**

Code	Transformer
LC801W/FP	Flex & Plug
LC801W/HW	Hardwire



LC801SC- SATIN CHROME

- **SATIN CHROME fixed** die-cast aluminum downlight kit
- Kit includes the following:
 - **LC101 downlight**
 - 50W glass covered lamp
 - 60VA electronic transformer
- **Packaged for retail sale**

Code	Transformer
LC801SC/FP	Flex & Plug
LC801SC/HW	Hardwire



LC802W- WHITE

- **WHITE adjustable** die-cast aluminum gimbal kit
- Kit includes the following:
 - **LC102 gimbal**
 - 50W glass covered lamp
 - 60VA electronic transformer
- **Packaged for retail sale**

Code	Transformer
LC802W/FP	Flex & Plug
LC802W/HW	Hardwire



LC802SC- SATIN CHROME

- **SATIN CHROME adjustable** die-cast aluminum gimbal kit
- Kit includes the following:
 - **LC102 gimbal**
 - 50W glass covered lamp
 - 60VA electronic transformer
- **Packaged for retail sale**

Code	Transformer
LC802SC/FP	Flex & Plug
LC802SC/HW	Hardwire




LC60/HW

- Opex hardwire 60VA electronic transformer
- Soft start leading to increased lamp life
- Dimmable
- Thermal cutout
- Overload and short circuit protection
- Size and shape designed for ease of installation

LC60/FP

- Opex 60VA electronic transformer with flex & plug
- Soft start leading to increased lamp life
- Dimmable
- Thermal cutout
- Overload and short circuit protection
- Size and shape designed for ease of installation



LC/50D

- 50VA toroidal transformer
- Open wound, 12V or 24V
- Single 50/60Hz primary winding
- Low noise and iron loss
- **Dimensions:** 80mm (dia) x 33mm (h); 0.65kg weight
- **Full range of wattages available, please enquire.**



LC401

- Aluminium concrete can
- For toroidal transformers
- Suitable for use with gimbals
- **Dimensions:** 125mm (h) x 170mm (w) with 92mm opening



LC911/912/913

- Opex 50W halogen lamp
- MR16 with glass cover
- FNV beam spread (60°)
- Available in three lamp life versions: **3000 hours** (LC 911)
5000 hours (LC 912)
10000 hours (LC 913)

LC403/404

- Ceramic lampholder
- Silicon cable
- GX5.3 base
- Available with either 30cm (LC403) or 2m (LC404) leads





LC720

- 1 x 18W compact fluorescent downlight
- Metallised specular aluminium reflector
- Side mounted gear box
- Powder coated finish
- Flex & Plug available on request
- **Cutout: 125mm**
- **Dimensions: 146mm (dia) x 163mm (h)**



LC721


- 2 x 18W compact fluorescent downlight
- Metallised specular aluminium reflector
- Top mounted ventilated gear box
- Powder coated finish
- Flex & Plug available on request
- **Schematic photometrics available on request**
- **Cutout: 170mm**
- **Dimensions: 200mm (dia) x 134mm (h)**



LC723

- 2 x 26W compact fluorescent downlight
- Metallised specular aluminium reflector
- Top mounted ventilated gear box
- Powder coated finish
- Flex & Plug available on request
- **Schematic photometrics available on request**
- **Cutout: 178mm**
- **Dimensions: 213mm (dia) x 152mm (h)**





ELECTRONIC T5 LINKABLE FLUORESCENT RANGE

LC208, 214, 221, 228 and 235

- Electronic linkable wall mounted, or under cabinet luminaire
- Complete with 4000°K triphosphor T5 fluorescent tube
- Ultra slim design enhances light output
- T5 tubes offers higher energy efficiency, longer average lamp life, and lower lumen depreciation over lamp life than standard fluorescent tubes
- Up to 10 fittings may be linked together to form a continuous strip of light using the **flexible links supplied with the fitting**. Solid miniature links also available.
- Fittings comes complete with an acrylic diffuser, 1.5m power cord, mounting clips and installation screws.
- The 21 and 28W versions are also available in a hardwire, non-linkable version
- IP20 protection
- Designed and manufactured to comply with EN60598

FLUORESCENT

Code	Description	Lamp Rated Life	Dimensions	Lumens Output
LC208	8W T5 Linkable Fluorescent (4000°K)	15000	343x23x43mm	700
LC214	14W T5 Linkable Fluorescent (4000°K)	15000	615x23x43mm	1250
LC221	21W T5 Linkable Fluorescent (4000°K)	15000	904x23x43mm	1930
LC228	28W T5 Linkable Fluorescent (4000°K)	15000	1204x23x43mm	2670
LC235	35W T5 Linkable Fluorescent (4000°K)	15000	1504x23x43mm	3440
LC221H	21W HARDWIRE T5 Fluorescent	15000	904x23x43mm	1930
LC228H	28W HARDWIRE T5 Fluorescent	15000	1204x23x43mm	2670



LC704 (70W)

- Compact size, fixed recessed 70W metal halide downlight for double ended metal halide lamp
- Hinged fascia for easy lamp replacement
- Die-cast aluminium housing
- Quality powder coated finish
- **Cutout: 150mm**
- **Dimensions: 160mm (dia) x 90mm (h)**



White



LC703 (150W) & LC705 (70W)

- Fixed recessed metal halide downlight
- Hinged fascia for easy lamp replacement
- Die-cast aluminium housing
- Quality powder coated finish
- **Cutout: 210mm**
- **Dimensions: 230mm (dia) x 105mm (h)**



White



LC701 (150W)

- Adjustable 150W recessed metal halide shoplighter
- Fascia unscrews for easy lamp replacement
- Die-cast aluminium housing
- Quality powder coated finish
- **Cutout: 215mm x 125mm**
- **Dimensions: 230mm (l) x 140mm (w) x 140mm (h)**




White

Silver



LC702 (70W)

- Adjustable 70W recessed metal halide shoplighter
- Fascia unscrews for easy lamp replacement
- Die-cast aluminium housing
- Quality powder coated finish
- **Cutout: 215mm x 125mm**
- **Dimensions: 230mm (l) x 140mm (w) x 140mm (h)**





White

Silver

METAL HALIDE

All fittings on this page are suitable for one double ended metal halide lamp, unless otherwise stated




METAL HALIDE TRACK SYSTEM



- Commercial metal halide 3-Circuit track lighting system
- Rectangular shaped head stocked in 70W and 150W
- Other heads (inc. surface mounted versions), and all tracks and connectors available on request

FULL RANGE OF CONNECTORS AND TRACKS AVAILABLE

**ATCO OM PACKS ARE AVAILABLE
IN 70W AND 150W**



Metal Halide Lamps

- UV block for reduced fading
- High pressure
- Excellent colour rendering/stability
- Low heat output
- High lamp efficacy

Colour	Watts
3000°K	70W
3000°K	150W
4200°K	70W
4200°K	150W

METAL HALIDE RANGE




FULL RANGE OF CONNECTORS AND TRACKS AVAILABLE




LC251

- Track mounted 50W halogen spotlight
- Integral, dimmable 12V transformer
- Bullet shaped head
- High quality lampholder
- **Dimensions: 150mm (h) x 130mm (l)**




LC221

- Track mounted 50W halogen spotlight
- Integral, dimmable 12V transformer
- Barrel shaped head
- High quality lampholder
- **Dimensions: 130mm (h) x 130mm (l)**




LC222

- Track mounted 50W halogen spotlight
- Integral, dimmable 12V transformer
- Square shaped head
- High quality lampholder
- **Dimensions: 130mm (h) x 130mm (l)**



LC255

- Track mounted 50W halogen spotlight
- Integral, dimmable 12V transformer
- Flat wedge shaped head
- High quality lampholder
- **Dimensions: 150mm (h) x 130mm (l)**



TRACK LIGHTING

All track lights on this page are suitable for 1 x MAX 50W, 12V Halogen Dichroic Lamp, unless otherwise stated



FULL RANGE OF CONNECTORS AND TRACKS AVAILABLE



LC216

- Track mounted 35W **MR11** halogen spotlight
- Integral, dimmable 12V transformer
- Unique head with glass diffuser
- High quality lampholder
- **Dimensions: 150mm (h) x 130mm (l)**



LC211

- Track mounted 50W halogen spotlight
- Integral, dimmable 12V transformer
- Flare shaped glass head
- High quality lampholder
- **Dimensions: 150mm (h) x 130mm (l)**



LC250

- Track mounted 50W halogen spotlight
- Integral, dimmable 12V transformer
- Drum shaped head with glass
- High quality lampholder
- **Dimensions: 150mm (h) x 130mm (l)**



LC213

- Track mounted 50W halogen spotlight
- Integral, dimmable 12V transformer
- Modern head with glass ring
- High quality lampholder
- **Dimensions: 150mm (h) x 130mm (l)**



TRACK LIGHTING



LC304

- **Small** 300mm slimline full glass oyster
- Suitable for **MAX 1 x 60W lamp with E27 base**
- Insulated base plate
- High quality ceramic lampholder
- **Dimensions: 300mm (dia) x 100mm (h)**



LC305

- **Medium** 375mm slimline full glass oyster
- Suitable for **MAX 2 x 60W lamps with E27 bases**
- Insulated base plate
- High quality lampholders
- **Dimensions: 375mm (dia) x 120mm (h)**
- Energy saving conversion available on request



LC306

- **Large** 450mm slimline full glass oyster
- Suitable for **MAX 3 x 60W lamps with E27 bases**
- Insulated base plate
- High quality lampholders
- **Dimensions: 450mm (dia) x 140mm (h)**
- Energy saving conversion available on request



INTERIOR



LC301

- **Small** 200mm flat full glass oyster
- Suitable for **MAX 1 x 40W G9 halogen lamp**
- Insulated base plate
- High quality G9 lampholder
- **Dimensions: 200mm (dia) x 70mm (h)**



LC302

- **Medium** 250mm flat full glass oyster
- Suitable for **MAX 2 x 40W G9 halogen lamps**
- Insulated base plate
- High quality G9 lampholders
- **Dimensions: 250mm (dia) x 80mm (h)**



LC303

- **Large** 300mm flat full glass oyster
- Suitable for **MAX 3 x 40W G9 halogen lamps**
- Insulated base plate
- High quality G9 lampholders
- **Dimensions: 300mm (dia) x 90mm (h)**



INTERIOR



carré magique




LC307

- **Small** 200mm square full glass oyster
- Suitable for **MAX 2 x 40W G9 halogen lamps**
- Insulated base plate
- High quality G9 lampholder
- **Dimensions: 200mm² x 65mm (h)**



LC308

- **Medium** 250mm square full glass oyster
- Suitable for **MAX 2 x 60W G9 halogen lamps**
- Insulated base plate
- High quality G9 lampholders
- **Dimensions: 250mm² x 85mm (h)**



■ ■ carré magique



MATCHING WALL BRACKETS AVAILABLE



LC310

- **Small** 300mm 'spike' clip oyster
- Suitable for **MAX 1 x 60W lamp with E27 base**
- Frosted glass diffuser
- Three clip colours, matching wall bracket and **energy saving conversion available**
- **Dimensions: 300mm (dia)**



LC311

- **Medium** 400mm 'spike' clip oyster
- Suitable for **MAX 2 x 60W lamps with E27 bases**
- Frosted glass diffuser
- Three clip colours, matching wall bracket and **energy saving conversion available**
- **Dimensions: 400mm (dia)**



LC313

- **Small** 300mm square 'spike' clip oyster
- Suitable for **MAX 1 x 60W lamp with E27 base**
- Frosted glass diffuser
- Three clip colours, matching wall bracket and **energy saving conversion available**
- **Dimensions: 300mm²**



LC314

- **Medium** 400mm 'spike' clip oyster
- Suitable for **MAX 2 x 60W lamps with E27 bases**
- Frosted glass diffuser
- Three clip colours, matching wall bracket and **energy saving conversion available**
- **Dimensions: 400mm²**

INTERIOR




LC501

- Exclusive Australian made luminaire
- **Exterior** powder coated, matt silver wall light
- Acrylic diffuser
- High quality lampholder
- Suitable for **MAX 2 x 9W energy saving lamp**
- Weatherproof to IP44
- Other colours available on request
- **Dimensions: 150mm (w) x 230mm (h) x 110mm (p)**



Silver




LC201

- Exclusive Australian made luminaire
- **Interior** powder coated, matt silver wall light
- Acrylic diffuser
- High quality lampholder
- Suitable for **MAX 2 x 9W energy saving lamp**
- Other colours available on request
- **Dimensions: 230mm (w) x 150mm (h) x 110mm (p)**



Silver



LC202

- Exclusive Australian made luminaire
- **Interior** powder coated, matt silver wall light
- Acrylic diffuser
- High quality lampholder
- Suitable for **MAX 1 x 36W PL-L energy saving lamp**
- Other colours available on request
- **Dimensions: 500mm (w) x 130mm (h) x 110mm (p)**



Silver




LC506

- Contemporary exterior wall light
- Machined aluminium with glass lens
- Lamps: 1 x 60W ES (E27)
- Weatherproof to IP44
- Dimensions: 90mm (dia) x 160mm (h) x 150mm (p)



LC507

- Contemporary exterior wall light
- Machined aluminium with glass lens
- Lamps: 2 x 60W ES (E27)
- Weatherproof to IP44
- Dimensions: 90mm (dia) x 300mm (h) x 160mm (p)



LC508

- Contemporary exterior halogen up/down wall light
- Machined aluminium with glass lens
- Lamps: 2 x MAX 50W GU10 Halogen
- Weatherproof to IP44
- Dimensions: 65mm (dia) x 170mm (h) x 120mm (p)



LC509

- Contemporary exterior bollard
- Machined aluminium with glass lens
- Lamps: 1 x 60W ES (E27)
- Weatherproof to IP44
- Dimensions: 90mm (dia) x 850mm (h)
Base diameter is 145mm






NEW - EXTERIOR LED LIGHT FITTINGS




LC511A




LC511G




LC513A




LC513G




LC512A




LC512B




LC512C




LC512F



LC514A



LC514B



LC514F

LED LIGHTING



AUSTRALIAN MADE SMOKE ALARMS

LC/FID Smoke Detectors

EASY TO INSTALL All you need is a drill and screwdriver, as plastic anchors and screws are provided for fast, secure installation (*hardwired versions must be installed by a licensed electrician*)

COMPACT Micro technology and design results in a compact and unobtrusive unit measuring only 113mm x 76mm.

VISUAL SYSTEMS CHECK A red light emitting diode (LED) flashes at 40 second intervals to indicate the correct electronic function of the unit.

LOW BATTERY WARNING A built-in self check system activates a beep every 45 seconds to warn of low battery status. This low battery warning will operate for at least 30 days and then the detector will sound alarm continuously.

MISSING BATTERY INDICATOR Those models containing a 9V battery, have a missing battery locking lever preventing the detector from being inserted into the base without a battery.

TEST BUTTON For total convenience and ease of operation the handy test button checks the sensitivity, horn and battery status and simulates smoke.

SAFETY FIRST These detectors respond to both visible and invisible particles of combustion smoke. The response is an 85 dBA alarm sound.

FIRE RETARDANT As an additional safety measure all of these smoke detectors are constructed of ABS flame retardant materials.

ALARM DETECTION METHOD: Ionization double chamber containing 33.3 KBq AM241

THERMAL DETECTORS, GAS DETECTORS AND CONTROL PANELS ALSO AVAILABLE

Code	Description	Power Supply
LC/FID-H	9V Battery Operated, DIY Smoke Alarm, 6 yrs Warranty	9V/DC
LC/FID-N	Suitable for Fire Panels, Internal Sounder, Relay Output Automatic Reset	12-24V
LC/FID-L	Suitable for Fire Panels, Internal Sounder, Relay Output Automatic Reset, LED remains on after alarm until reset	12-24V
LC/FID-M	Mains connected, rechargeable battery back-up, can be interconnected with up to 12 smoke alarms of the same model	240V
LC/FID-P	Flex & Plug Version, rechargeable battery back-up, can be interconnected with up to 12 smoke alarms of the same model	240V

SMOKE ALARMS

PHILIPS Lamp Supplier

MSP is proud to supply quality Philips Lamps to its customers. Lamps available include:

- Masterline range
- Halogen dichroic lamps
- Metal Halide lamps
- CDM Par 20/Par 30 lamps

For all of your Philips lamp requirements please speak to MSP today.



OSRAM Lamp Supplier

MSP is also pleased to be able to supply quality Osram Lamps to its customers.
Lamps available include:

- Starlite halogen bi-pin lamps
- Haloline QI linear halogen lamps
- Halopar GU10 lamps
- GLS, Fancy Round and Candle lamps

For all of your Osram lamp requirements please speak to MSP today.



LAMP
S

Speedy

- Australian made electronic transformer
- Two different power ratings available 20-70VA and 35-105VA with multiple secondary terminals
- Tool free installation, overload protection and warm start



Possum

- Australian made electronic transformer
- 60VA power rating
- Tool free installation
- Overload protection
- Warm start



Weatherproof

- Australian made LVL weatherproof enclosed transformer range
- 50, 75, 100, 160, 200, 320 and 500VA versions available
- IP65
- Compact size
- Short circuit protection



Underground Encapsulated

- Australian made below ground transformer range
- 50, 100 and 200VA versions available
- Encapsulated construction
- IP67
- Short circuit protection



Enclosed Transformers

- Australian made LVL enclosed indoor transformer range
- 65, 100, 160, 200, 320 and 500VA versions available
- IP31
- Extruded aluminium enclosure
- Short circuit protection

OM-PAK

- Australian made control gear for metal halide lamps
- Full enclosed with flex & plug
- 70W and 150W versions available



For detailed product information please call MSP on (02) 9620 8322



Ph: 02 9620 8322

Fax: 02 9620 7557

PO Box 848

Kings Langley NSW 2147

www.mspshopfittings.com.au